	Application No.	Applicant(s)
Notice of Allowability	10/630,038	SUH ET AL.
	Examiner	Art Unit
	Tarifur R. Chowdhury	2871
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>05/02/05</u> .		
2. The allowed claim(s) is/are <u>1 and 2</u> .		
3. The drawings filed on 30 July 2003 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). ★ Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. 		
 THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 8), 7. ☑ Examiner's Amend	ite

Application/Control Number: 10/630,038

Art Unit: 2871

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Richard J. Streit on 05/12/05.

The application has been amended as follows:

Claims 3-18 have been canceled.

The abstract has been re-written as follows:

-- The present invention relates to a liquid crystal display, comprising a lower alignment film formed on a lower substrate; an upper alignment film formed on an upper substrate; a liquid crystal layer sandwiched between the lower and upper substrates; a phase compensation film adhered on the outer surface of the upper substrate and a polarizer adhered on the phase compensation film wherein the lower alignment film has an alignment angle of 10-20° with respect to a horizontal line, the upper alignment film has an alignment angle of 40 to 55° with respect to a horizontal line, the liquid crystal layer has a phase delay value ($d\Delta n$) of 0.24-0.27 µm, the phase compensation film has a phase compensation function of $\lambda/4$ and also has an optical axis making 140-146° with a horizontal line and the polarizer has an absorption axis making 120 to 122.5° with a horizontal line.--

Page 3

Application/Control Number: 10/630,038

Art Unit: 2871

Allowable Subject Matter

- 2. Claims 1 and 2 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

The prior arts of record do not anticipate or render obvious to one skilled in the art a liquid crystal display comprising various elements as claimed, more specifically the limitations such as the lower alignment film having an alignment angle of 10-20° and the upper alignment film having an alignment angle of 40 to 55° with respect to a horizontal line, the liquid crystal layer having a phase delay value ($d\Delta n$) of 0.24-0.27 μm , the phase compensation film having a phase compensation function of $\lambda/4$ and also has an optical axis making 140-146° with a horizontal line and the absorption axis of the polarizer making an angle of 120 to 122.5° with a horizontal line, are considered novel.

4. All the prior arts cited alone or in combination discloses a liquid crystal display having a similar structure as claimed, but fail to teach or suggest the specific characteristics of the alignment films, phase compensation film, the liquid crystal layer and the polarizer.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/630,038

Art Unit: 2871

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tarifur R. Chowdhury whose telephone number is (571) 272-2287. The examiner can normally be reached on M-Th (6:30-5:00) Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Kim can be reached on (571) 272-2293. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TRC May 12, 2005

TARIFUR R. CHOWDHURY
PRIMARY EXAMINER